CLAIMS

1. A method of controlling the operation of an operating system in a computer system, the method comprising the steps of:

5   preparing or deleting various kinds of files that show various operation statuses of the computer system, according to changes in the operation status, and storing the prepared files in a memory section within the computer system;

10   recognizing a predetermined operation status of the computer system, depending on whether a file corresponding to the predetermined operation status exists within the memory section or not; and

         controlling the operation of the operating
15   system according to a result of the recognition.

2. The method of controlling the operation of an operating system in a computer system according to claim 1, wherein

         the control of the operation of the
20   operating system is for starting a predetermined job.

3. The method of controlling the operation of an operating system in a computer system according to claim 2, wherein

         the predetermined job consists of a
25   plurality of programs.

4. The method of controlling the operation of an operating system in a computer system according to claim 2, wherein

         the starting of the predetermined job is
30   determined based on whether a plurality of the files exist or not within the memory section.

5. The method of controlling the operation of an operating system in a computer system according to claim 3, wherein

35   the starting of the predetermined job is determined based on whether a plurality of the files exist or not within the memory section.

6.   The method of controlling the operation of an operating system in a computer system according to claim 1, wherein

each of the files is provided with an alias, and the operation status of the computer system is recognized based on the alias.

7.   The method of controlling the operation of an operating system in a computer system according to claim 2, wherein

each of the files is provided with an alias, and the operation status of the computer system is recognized based on the alias.

8.   The method of controlling the operation of an operating system in a computer system according to claim 3, wherein

each of the files is provided with an alias, and the operation status of the computer system is recognized based on the alias.

9.   The method of controlling the operation of an operating system in a computer system according to claim 4, wherein

each of the files is provided with an alias, and the operation status of the computer system is recognized based on the alias.

10.   The method of controlling the operation of an operating system in a computer system according to claim 5, wherein

each of the files is provided with an alias, and the operation status of the computer system is recognized based on the alias.

11.   The method of controlling the operation of an operating system in a computer system according to claim 6, the method further comprising the steps of:

changing the operation status of the computer system based on a starting of the predetermined job; and

starting a second job according to the

changed new operation status of the computer system.

12. The method of controlling the operation of an operating system in a computer system according to claim 7, the method further comprising the steps of:

5   changing the operation status of the computer system based on a starting of the predetermined job; and

starting a second job according to the changed new operation status of the computer system.

10   13. The method of controlling the operation of an operating system in a computer system according to claim 8, the method further comprising the steps of:

changing the operation status of the computer system based on a starting of the predetermined

15   job; and

starting a second job according to the changed new operation status of the computer system.

14. The method of controlling the operation of an operating system in a computer system according to claim

20   9, the method further comprising the steps of:

changing the operation status of the computer system based on a starting of the predetermined job; and

starting a second job according to the

25   changed new operation status of the computer system.

15. The method of controlling the operation of an operating system in a computer system according to claim 10, the method further comprising the steps of:

changing the operation status of the

30   computer system based on a starting of the predetermined job; and

starting a second job according to the changed new operation status of the computer system.

16. A computer-readable recording medium that has

35   been recorded with a program for making a computer execute a method of controlling the operation of an operating system in a computer system, the recording

medium being recorded with a program comprising the steps
of:

    preparing or deleting various kinds of
files that show various operation statuses of the

5   computer system, according to changes in the operation
status, and storing the prepared files in a memory
section within the computer system;

    recognizing a predetermined operation
status of the computer system, depending on whether a

10   file corresponding to the predetermined operation status
exists within the memory section or not; and

    controlling the operation of the operating
system according to a result of the recognition.